

ISSN: 2322-3537 Vol-11 Issue-02 Dec 2022

CMP-BLOCKCHAIN-BASED EVENT DETECTION AND TRUST VERIFICATION USING NLP AND MACHINE LEARNING

Mrs.Sashirekha Tejavat¹., P.Thanuja²

1 Assistant Professor, Department of CSE, Malla Reddy College of Engineering for Women.,
Maisammaguda., Medchal., TS, India
2, B.Tech CSE (19RG1A05G5),
Malla Reddy College of Engineering for Women., Maisammaguda., Medchal., TS, India

ABSTRACT

Social Networks represent a cornerstone of our daily life, where the so-called social reviewing systems (SRSs) play a key role in our daily lives and are used to access data typically in the form of reviews. Due to their importance, social networks must be trustworthy and secure, so that their shared information can be used by the people without any concerns, and must be protected against possible attacks and misuses. One of the critical attacks most against the reputation system is represented by mendacious reviews. As this kind of attacks can be conducted by legitimate users of the network, a particularly powerful solution is to exploit trust management, by assigning a trust degree to users, so that people can weigh the gathered data based on such trust degrees. Trust management within the context of **SRSs** is particularly challenging, as determining incorrect behaviors is subjective and hard to be fully automatized. Several attempts in literature have the current proposed; however, such an issue is still far from been completely resolved. In this study, we propose a solution against mendacious reviews that combines fuzzy logic and the theory of evidence by modeling trust management as a multicriteria multiexpert decision making and exploiting the novel concept of time-dependent and contentdependent We crown consensus. empirically proved that our approach outperforms the main related works approaches, also in dealing with sockpuppet attacks.

INTRODUCTION

AS WELL known, the online social networks [1] are Internet-enabled



ISSN: 2322-3537 Vol-11 Issue-02 Dec 2022

applications used by people to establish with social relations the other individuals sharing similar personal interests and/or activities. Apart from exchanging personal data, such as photographs or videos, mainly all these applications allow their users to share comments and opinions on specific topics, so as to suggest objects or places of interest Trip Advisor, (e.g., Foursquare, etc.) or to provide social environments able to facilitate particular tasks (e.g., the search of a job as in LinkedIn. the answer to research questions as in Research Gate, purchases Amazon. etc.). Due comment/opinion sharing, these social applications, which we will refer to as social reviewing systems (SRSs) have been extensively used when people need to make daily decisions, increasing their popularity. As a concrete example, most of us access to a preferable SRS before choosing a restaurant buying something so as to get reviews and feedback. People are progressively and symbiotically dependent on them as proved by the advanced opinion modeling and analysis, exploiting the impact of neighbors on user preferences

or approaching the existing information overload in SRS, such as [2], [3]. For this reason, the trustworthiness of SRS is particularly important, and a key concern for effective opinion dynamics trust propagation within and community of users [4]. In fact, SRSs from forged messages camouflaged/fake users that are able to avoid individuals take the right decision. This may raise several issues about privacy and security [5], mainly due to the fact that several personal and sensitive information are shared, and leaked, throughout SRS [6], [7], and that a person may choose to hide its true self and intentions behind a totally false virtual identity [8] or a Bot (short for software robots) may mimic human behavior in SRS [9]. In addition, threats in SRS, such as data leaks, phishing bait, information tampering, and so on, are never limited to a given social actor, but spread across the network like an infection by obtaining victims among the friends of the infested actors. So, an SRS provider needs to provide proper protection means to guarantee its trustworthiness.



Some works in the current literature, such as [10], mostly deal only with forging messages as this can be easily resolved by using cryptography. However, the second kind of malicious behavior caused by camouflaged/fake users is still an open issue. During the last decade, several solutions have been proposed in order to deal with the problem of camouflaged/fake users [11]–[13]. The issue of providing privacy has led to the adoption of access means, while counteracting control nodes/identities forging and social links/connections demanded authentication of users and exchanged messages [14], [15]. Mostly, such mechanisms aim at approaching external attackers or intruders, while thwarting legitimate participants in the SRS acting in a malicious way is extremely challenging. A naive way to protect against malicious individuals is to have users being careful when choosing with whom to have a relationship. Two users in social networks may have various kinds of relationships: 1) in Face booklike systems users can indicate others as "friends," or 2) in Instagram-like systems a user can "follow" others.

ISSN: 2322-3537 Vol-11 Issue-02 Dec 2022

However, users are typically not so careful when accepting received joining requests, and selecting other users to be connected with is typically extremely difficult (as malicious users are also experts in camouflaging themselves). Despite the relationships among the social actors within an SRS should be based on the direct knowledge in the real life of the people behind such actors (such as former classmates, colleagues, or member of the same family or group friends), the majority of the relationships are typically made without such a face-toface knowledge but among users that have never been met in person. Trust management is among the most popular solution to fight against such inside attackers [16]. It consists to assign a "trust" value to users based on the direct analysis of their behaviors or indirect trust relationship among social actors. To this aim, it is a soft secure measure implying the revocation of a social link toward those actors with a low trust value, or to strengthen the protection measures for those actors exhibiting a low trust degree, by limiting the data/functionalities that



they can have access to. Despite being a powerful protection means [17], trust management is not explicitly provided by the main SRS platforms, due to the issues related to its automatic

computation.

There is the problem to select data of interest upon which computing the trust degree among the vast amount of shared information, which shows the main features (volume, variety, and velocity) of big data. To the problem, wellsimplify investigated aspect is the study of trust network [18]. Specifically, an SRS is seen as a graph, where each vertex is a social actor, and each link models a social relationship between two actors where a trust value is assigned by one to another by means of the previous computation approach [19], [20]. It is not rare that actors may interact with nonadjacent other actors, so it is important to find a trust path among nonadjacent actors to compute trust transitivity (so that they can interact). However, there is still the problem on how measuring the mutual trust of two actors connected by social relationship, which is further used for

ISSN: 2322-3537 Vol-11 Issue-02 Dec 2022

trust transitivity for unrelated users having some related users in common. This can be roughly measured as the ratio of the good iterations over the total number of elapsed interactions, even if more complex models have been proposed. Possible violations against the ethical norms cannot be objectively determined (meaning that such judgments are absolutely true or false and it is possible to assign them a 0 or 1 value) but are strongly based on or influenced by the person making the judgment (i.e., are subjective) and expressed in a partial truth way (i.e., judgement can range from completely true to completely false and it is possible to assign a real number going from 0 to 1), due to uncertain and vague natures of the behavioral data collected on human interactions. This makes the overall trust management an example of the so-called fuzzy decision-making problem [21] and make its fully automation extremely complex. **Protecting** the overall aggregation from the impact malicious or fake reputations is an issue to consider [22], and falls within the literature of security and privacy of Recommender Systems [23].



Our work aims to contribute to on-going efforts on the trust computation in SRSs, where behaviors of social actors are described by means of their submitted "reviews" of specific objects interest. Specifically, a genuine review may reflect a correct behavior of the actor, while a deceitful review is a sign of a malicious behavior. To deal with the mentioned big data problem, we have considered those social application to recommend objects of interest, since they restrict the kind of behavioral data to reviews as text content in natural language. Despite the current SRS providers are reluctant to disclose their data (since mainly sensitive for their users and/or business), reviews are publicly accessible and user review datasets are largely available. To deal with the subjective review judgement, we leverage on the fuzzy theory as widely used in [24]. To deal with the problem of computing trust computation, we propose a proper robust aggregation means of the outcomes of review analyzers, each evaluating incoming reviews based on a specific criterion. To deal with the problem of

ISSN: 2322-3537 Vol-11 Issue-02 Dec 2022

mendacious reviews, we estimate which reviews contains opinions deviating from the evaluation of an objective of interest from the majority, as only a small portion of the reviewers is malicious.

The contribution of our work consists in the definition of a proper process to estimate the *trustworthiness* of social actors based on their published reviews and to achieve robustness against possible false opinions as follows.

- 1) Identifying possible mendacious reviews by exploiting a multi criteria decision making and introducing the novel concept of time-dependent and content-dependent crown consensus, where various criteria are used to evaluate the quality of a given review.
- 2) Performing reputation aggregation based on the Dempster–Shafer (D-S) combination rule [25] so as to infer the user trustworthiness.
- 3) Implementing the proposed approach in a cloud-based platform by crawling reviews from heterogeneous datasets, preprocessing (by performing data cleaning) and storing the acquired reviews in a NOSQL database, and



realizing the envisioned trust a computation by using an analytics

engine for big data processing.

4) Experimenting the proposed approach and implemented solution on two different datasets, one from the Yelp Dataset Challenge and the other from Amazon Customer Review Datasets. We have also adopted the Yelp NYC dataset so as to run the effectiveness evaluation of the approach against some of the main works within the literature. Such experiments proved the higher degree of the precision and user ranking challenges than the other approaches.

Several similar approaches have been proposed in the literature for evaluating user trustworthiness by using the textual review, especially in the context of spam detection. They can be generally classified in three groups: 1) linguistic based [26], focusing on the identification of linguistic features of malicious reviews; 2) behavioral based [27], leveraging metadata information of submitted review and user profile for identifying fake reviews; and 3) graphbased approaches [28], analyzing users ties. The and objects proposed framework exploits a behavioral

ISSN: 2322-3537 Vol-11 Issue-02 Dec 2022

analysis by combining in a novel way reviews' metadata, user compliments and rate's variation over time by leveraging fuzzy logic and the theory of evidence. A novel set of criteria has been formulated in order to determine the trustworthiness of reviews, and they are aggregated so as to determine the overall user trust degree. The evidence theory has been used to compute trust by aggregating binary evidences, such as in [29] and [30]. Our novelty is represented its application by to users' trustworthiness assessment based on reviews' quality scores.

In the proposed approach, users' trustworthiness is not computed by considering their relationships but only the reviews' features. This is because users' relationships have a limited consideration for SRSs. However, it is possible to integrate our approach with one of those in the literature computing user trustworthiness based on the established relationships, as it may be seen as an additional criterion D-S to be aggregated with the combination rule within our proposed multi criteria decision making process.

EXISTING SYSTEM



Yu et al. [38] described an approach for computing user trustworthiness leveraging on the "familiarity" "similarity" concepts and considering the influence of user actions on the trustworthiness computation. The aim of this methodology is to detect malicious users-based also on a security queue to record users' historical trust information. Afterward, Yu et al. [39] proposed an approach based on deep learning techniques in conjunction with user trustworthiness characterization for configuring privacy settings for social image sharing. In addition, a two-phase trust-based approach based on deep learning techniques has also been proposed by Deng et al. [40] for social network recommendation, so as to determine the users' interests and their trusted friends' interests together with the impact of community effect for recommendations.

Rayana and Akoglu [27] presented a system, namely, *SpEagle*, that uses metadata (i.e., text, timestamp, and rating) in conjunction with relational data to spot suspicious users and reviews.

ISSN: 2322-3537 Vol-11 Issue-02 Dec 2022

Other related approaches exploit reviews' evaluation for detecting and/or characterizing spam in social media. Shehnepoor et al. [28] proposed a framework named NetSpam that models reviews in online social media, as a case of heterogeneous networks, by using spam features for detection purposes. Ye et al. [41] described an approach based on the temporal analysis by monitoring selected indicative signals of opinion spams over the time, for detecting and characterizing

abnormal events in real time.

A system based on four integrated components, specifically: 1) a reputation-based component; 2) a credibility classifier engine; 3) a user experience component; and 4) a featureranking algorithm, has been designed and implemented by

Alrubian *et al.* [42] for assessing information credibility on Twitter. In [43], the *CommTrust* framework has been introduced for trust evaluations by mining feedback comments. More in detail, it is based on a multidimensional trust model for computing reputation scores from user feedback comments, which are analyzing combining natural



language processing techniques, opinion mining, and topic modeling.

Furthermore, another framework, namely, LiquidCrowd, has been proposed by Castano et al. [44] exploiting consensus and trustworthiness techniques for managing the execution of collective tasks. Kumar et al. [45] proposed a system, namely, FairJudge, to identify fraudulent users based on the mutually recursive

definition of the following three metrics: 1) the user trustworthiness in rating products; 2) the rating reliability; and 3) the goodness of a product. Moreover, Kumar et al. [46] described a system for identifying fraudulent users based on six axioms to define the interdependency among three intrinsic quality metrics concerning a user, reliability goodness of a product by combining network and behavior properties. Hooi et al. [47] developed an algorithm, called *FraudAR*, aiming at being resistant to the camouflage attacks, for identifying fake reviews and users. Furthermore, Birdnest, an approach combining Bayesian model of user rating behavior and a likelihood-based suspiciousness metric **Inormalized**

ISSN: 2322-3537 Vol-11 Issue-02 Dec 2022

expected surprise total (NEST)], has been proposed in [48].

Liu *et al.* [32] investigated the sockpuppet attacks on reviewing A system based on four integrated components, specifically:1) a reputation-based component; 2) a credibility classifier engine; 3) a user experience component; and 4) a feature ranking algorithm, has been designed and implemented by Alrubian *et al.* [42] for assessing information credibility on

Twitter. In [43], the **CommTrust** framework has been introduced for trust evaluations by mining feedback comments. More in detail, it is based on a multidimensional trust model for computing reputation scores from user feedback comments. which analyzing combining natural language processing techniques, opinion mining, modeling. and topic Furthermore, another framework, namely, LiquidCrowd, has been proposed by Castano et al. [44] exploiting consensus trustworthiness techniques and managing the execution of collective tasks.

Kumar *et al.* [45] proposed a system, namely, *FairJudge*, to identify



fraudulent users based on the mutually recursive definition of the following three metrics: 1) the user trustworthiness in rating products; 2) the rating reliability; and 3) the goodness of a product. Moreover, Kumar *et al.* [46] described a system for identifying fraudulent users based on six axioms to define the interdependency among three intrinsic quality metrics concerning a user, reliability and goodness of a product by combining network and behavior properties.

Hooi *et al.* [47] developed an algorithm, called *FraudAR*,

aiming at being resistant to the camouflage attacks, for identifying fake reviews and users. Furthermore, Birdnest. approach combining an Bayesian model of user rating behavior and a likelihood-based suspiciousness metric [normalized expected surprise total (NEST)], has been proposed in [48]. Liu et al. [32] investigated the sockpuppet attacks reviewing on systems by proposing a fraud detection algorithm, called RTV, that introduces trusted users and also considers reviews left by verified users.

Disadvantages

ISSN: 2322-3537 Vol-11 Issue-02 Dec 2022

- An existing methodology doesn't implement multicriteria multicrypert decision-making (MCME-DM) method.
- The system not implemented Dempster–Shafer (D-S) theory.

PROPOSED SYSTEM

The contribution of our work consists in the definition of a proper process to estimate the *trustworthiness* of social actors based on their published reviews and to achieve robustness against possible false opinions as follows.

- 1) Identifying possible mendacious reviews by exploiting a multicriteria decision making and introducing the novel concept of time-dependent and content-dependent crown consensus, where various criteria are used to evaluate the quality of a given review.
- 2) Performing reputation aggregation based on the Dempster–Shafer (D-S) combination rule [25] so as to infer the user trustworthiness.
- 3) Implementing the proposed approach in a cloud-based platform by crawling reviews from heterogeneous datasets, preprocessing (by performing data cleaning) and storing the acquired reviews in a NoSQL database, and



realizing the envisioned trust computation by using an analytics engine for big data processing.

4) Experimenting the proposed approach and implemented solution on two different datasets, one from the Yelp Dataset Challenge and the other from Amazon Customer Review Datasets. We have also adopted the *YelpNYC* dataset so as to run the effectiveness evaluation of the approach against some of the main works within the

literature. Such experiments proved the higher degree of precision and the user ranking challenges than the other approaches.

Advantages

- 1) Effectiveness: To examine the accuracy of the proposed approach by varying expert and criteria weights and to compare our technique with the other ones proposed in the literature.
- 2) Robustness With Respect to Sockpuppet Attacks: For analyzing how the proposed approach deals with this particular attack by varying the percentage of most suspicious accounts considered fraudsters and to compare the obtained results with respect to the state-of-the-art ones.

ISSN: 2322-3537 Vol-11 Issue-02 Dec 2022

IMPLEMENTATION

A system based on four integrated components, specifically:

- 1) a reputation-based component;
- 2) a credibility classified engine;
- 3) a user experience component; and
- 4) a feature ranking algorithm, has been designed and implemented.

Targeting and connecting with potential customers by exploiting an SRS as a simple method of advertising is the first example of such a businessrelated use, but actually it is their weakest business use. Support Vector Machine or SVM is one of the most popular Supervised Learning algorithms, which is used for Classification as well as Regression problems. The goal of the SVM algorithm is to create the best line or decision boundary that can segregate n- dimensional space into classes so that we can easily put the new data point in the correct category in the future.

Service Provider

In this module, the Service Provider has to login by using valid user name and password. After login successful he can do some operations such as

Login, Browse Product Review Datasets and Train & Test Data Sets,



View Trained and Tested Accuracy in Bar Chart, View Trained and Tested Accuracy Results, View Prediction Of Product Review Trust, View Prediction Of Product Review Trust Ratio, Download Predicted Data Sets, View Prediction Of Product Review Trust Ratio Results, View All Remote Users.

View and Authorize Users

In this module, the admin can view the list of users who all registered. In this, the admin can view the user's details such as, user name, email, address and admin authorizes the users.

Remote User

In this module, there are n numbers of users are present. User should register before doing any operations. Once user registers, their details will be stored to database. After registration the successful, he has to login by using authorized user name and password. Once Login is successful user will do some operations like REGISTER AND LOGIN, **PREDICT PRODUCT** REVIEW TRUST TYPE, VIEW YOUR **PROFILE**

ISSN: 2322-3537 Vol-11 Issue-02 Dec 2022




Fig.1. Home page.



Fig.2. Product details page.




Fig.3. Accuracy details.



	polact Review Trant Retir	Downtood Preside	ted Data Sets View Pred	Action Of Product Re	riese Trust Batto B	-	View All Barries	e Users L	agent "
	4								
	4				_	-	_	-	
	Product Trust Predicti	ion Type Debolle							
	reviewText	Covered raths	automaty.	untelliertes Tir		-	-	e total wet	Production -
1	lt's eini storage. i It doesn't do		not a lot to really be	1367193600	29-04-21	588	0	0	No Trust
210	I'm amound. I is ordered this from	5	Very fast class 18 5 card - and excellent	2203174400	25-07-20	888	15	21	Average Trust
1	This product arrived I in two days (Price), [5	Quick delivery, exactly as ordered _,	2161923200	27-02-21	849	0	0	No Trust
	Sought this card to i	5	heroung Gallery Table 2 months with this condition	2204816000	21-08-20	847	38	48	Average Trust
1	If your card gets is not enough to be	1	moreing, read this!	2206544000	09-02-20	1033	422	495	Good Trust
1	I bought two of I these one for Asst	4	Fast but not with out headachs	2157776008	01-10-21	433	0		No Trust
1	This think has 2 worked out great. Had	5	Great buy at this price!!! *** GREATE ,	2184992000	21-11-2021	382	0	0	No Trust

Fig.4. Output results.

CONCLUSION

This study proposed a solution to the problem of trust management within the context of the social networks, where it is important to deal with the subjectivity of the detection of malicious behaviors and the need of objectivity in order to design an automatic process to assign trust degrees to users based on their activity in the social network. To this aim, we have approached the vagueness and subjectivity in the review analysis from the social network by means of the fuzzy theory. We have leveraged on the theory of evidence so as to device a MCME-DM process to aggregate the judgments from multiple perspectives and optimize the trust estimation.Amazon datasetand showed that aggregating the output of multiple criteria allows achieving higher

ISSN: 2322-3537 Vol-11 Issue-02 Dec 2022

accuracy in detecting malicious reviews. We have also compared our approach against the main relatedworks in the existing literature and showed that our approach obtained better efficacy by using 80% and 100% of the considered dataset. As this kind of attacks can be conducted by legitimate users of the network, a particularly powerful solution is to exploit trust management, by assigning a trust degree to users, so that people can weigh the gathered data based on such trust degrees. Trust management within thecontext of SRSs particularly challenging, is as determining incorrect behaviors subjectiveand hard to be fully automatized. Several attempts in the current literature have been proposed.In methodology Navie Bayes algorithm is Best to use in this project.

REFERANCES

[1] M. Faloutsos, T. Karagiannis, and S. Moon, "Online social networks," IEEE Netw., vol. 24, no. 5, pp. 4–5, Sep/Oct. 2010.

[2] J. Castro, J. Lu, G. Zhang, Y. Dong, and L. Martinez, "Opinion dynamics-based group recommender systems,"



IEEE Trans. Syst., Man, Cybern., Syst., vol. 48, no. 12, pp. 2394–2406, Dec. 2018.

- [3] F.Xiong, X. Wang, S. Pan, H. Yang, H. Wang, and C. Zhang, "Social recommendation with evolutionary opinion dynamics," IEEE Trans.Syst., Man, Cybern., Syst., vol. 50, no. 10, pp. 3804–3816, Oct. 2020.
- [4] R. Ureña, G. Kou, Y. Dong, F. Chiclana, and E. Herrera-Viedma, "A review on trust propagation and opinion dynamics in social networks and group decision making frameworks," Inf. Sci., vol. 478, pp. 461–475, Apr. 2019.
- [5] Y. Xiang, E. Bertino, and M. Kutylowski, "Security and privacy in social networks," Concurrency Comput. Practice Exp., vol. 29, no. 7, 2017, Art. no. e4093.
- [6] D. Irani, S. Webb, K. Li, and C. Pu, "Modeling unintended personal

ISSN: 2322-3537 Vol-11 Issue-02 Dec 2022

information leakage from multiple online social networks," IEEE Internet Comput., vol. 15, no. 3, pp. 13–19, May/Jun. 2011.

- [7] A. Nosko, E. Wood, and S. Molema, "All about me: Disclosure in online social networking profifiles: The case of Facebook," Comput. Human Behav., vol. 26, no. 3, pp. 406–418, 2010.
- [8] K.Krombholz, D.Merkl, and E. Weippl, "Fake identities in social media: A case study on the sustainability of the Facebook business model," J. Service Sci. Res., vol. 4, no. 2, pp. 175–212, 2012.
- [9] E.Ferrara, O.Varol, C.Davis, F.Menczer, and A.Flammini, "The rise of social bots," Commun. ACM, vol. 59, no. 7, pp. 96–104, 2016.
- [10] X.Wang et al., "Game theoretic suppression of forged messages in online social networks.